

## Current Reservoir Summary Status – April 15, 2026

The table below summarizes the status of each reservoir as of April 15, 2026.

THIS COLOR = STAGE 1 DROUGHT WATCH CONDITION THIS COLOR = STAGE 2 DROUGHT WARNING CONDITION THIS COLOR = STAGE 3 DROUGHT EMERGENCY CONDITION THIS COLOR = STAGE 4 PRO-RATA CURTAILMENT CONDITION				<sup>5</sup> Stage 1 Drought Watch Trigger Level		Stage 2 Drought Warning Trigger Level		Stage 3 Drought Emergency Trigger Level		Stage 4 Pro-rata Curtailment Trigger Level	
Reservoir	April 15, 2026 Elevation	April 15, 2026 Capacity (acre-feet)	% Full	Elevation	Capacity (acre-feet)	Elevation	Capacity (acre-feet)	Elevation	Capacity (acre-feet)	Elevation	Capacity (acre-feet)
<sup>1</sup> Main Stem Reservoirs	NA	673,129	92%	NA	564,737	NA	427,173	NA	289,609	NA	144,804
<i>Possum Kingdom</i>	996.96	502,557	93%	NA	NA	NA	NA	NA	NA	NA	NA
<i>Granbury</i>	692.66	133,572	100%	NA	NA	NA	NA	NA	NA	NA	NA
<sup>2</sup> <i>Whitney</i>	531.87	37,000	65%	NA	NA	NA	NA	NA	NA	NA	NA
<i>Aquilla</i>	536.65	40,714	94%	533.6	32,253	530.5	25,189	526.8	18,125	523.7	13,436
<i>Proctor</i>	1159.0	41,492	76%	1158.2	38,388	1,156.1	31,297	1153.3	24,206	1,150.1	16,976
<i>Belton</i>	593.82	430,415	99%	588.1	363,410	578.7	289,863	566.3	216,316	550.2	156,670
<sup>1</sup> Williamson Co. System	NA	249,781	93%	NA	222,398	NA	164,789	NA	107,180	NA	53,590
<i>Stillhouse Hollow</i>	620.49	220,352	96%	NA	NA	NA	NA	NA	NA	NA	NA
<i>Georgetown</i>	783.87	29,429	77%	NA	NA	NA	NA	NA	NA	NA	NA
<i>Granger</i>	504.6	54,496	105%	501.8	43,116	498.4	34,513	494.1	25,911	490.0	15,547
<i>Limestone</i>	360.34	172,143	84%	357.6	142,646	354.8	115,136	351.5	87,625	346.9	56,927
<i>Somerville</i>	234.26	111,149	74%	234.9	117,229	231.8	88,673	228.2	60,117	223.9	30,059
<b>BRA System Total</b>	<b>NA</b>	<b>1,770,644</b>	<b>92%</b>	<b>NA</b>	<b>1,529,442</b>	<b>NA</b>	<b>1,195,295</b>	<b>NA</b>	<b>861,148</b>	<b>NA</b>	<b>536,426</b>

<sup>1</sup>Lakes Possum Kingdom, Granbury, and Whitney are operated together as a sub-system as are Lakes Stillhouse Hollow and Georgetown. As such, the Drought Trigger Levels are based on the collective capacity of the reservoirs.

<sup>2</sup>Capacity and Percent Full values shown in the table are for the BRA storage in Lake Whitney. The current total capacity of Lake Whitney is approximately 591,090 acre-feet, which is 96 percent full.

<sup>3</sup>Water is currently being transferred from Lake Stillhouse Hollow to Lake Georgetown through the Williamson County Regional Raw Water Line (WCRRWL) at a rate of 121 acre-feet per day (about 39.5 mgd).

<sup>4</sup>Lake Georgetown has triggers independent of Stillhouse Hollow that are based on WCRRWL pumping operations. The triggers are as follows: Stage 1 Trigger = 6 months or more of sustained pumping; Stage 2 Trigger = 18 months or more of sustained pumping; Stage 3 Trigger = when the BRA's GM/CEO or his/her designee determines hydrologic conditions are as severe as or worse than the driest 24-month period on record; Stage 4 Trigger = when deemed appropriate by the BRA's GM/CEO or his/her designee due to disruption in WCRRWL pumping operations.

<sup>5</sup>In addition to elevation and storage trigger levels, and the Lake Georgetown trigger, the Stage 1 drought condition may also be initiated for a reservoir/reservoir sub-system when the Palmer Hydrological Drought Index (PHDI) is equal to or less than -2.4.