



Brazos River Authority



QUALITY • CONSERVATION • SERVICE

February 14, 2024

Ms. Irene Gavranovic-Sipes  
President  
All Seasons Turf Grass, Inc.  
32601 FM 529  
Brookshire, Texas 77423

Re: Termination of the Stage 1 – Drought Watch Declaration for the Brazos River Authority's Reservoir System

Dear Ms. Gavranovic-Sipes:

In accordance with its Drought Contingency Plan (Plan), the Brazos River Authority (BRA) informed you by letter of the declaration of the Stage 1 – Drought Watch for the BRA's Water Supply System (System) on August 11, 2022. Due to rainfall over the past several weeks, the combined storage capacity of the System of water supply reservoirs has risen above the Stage 1 trigger. The System includes the following reservoirs: Possum Kingdom, Granbury, Whitney, Aquilla, Proctor, Belton, Stillhouse Hollow, Georgetown, Granger, Limestone, and Somerville. We anticipate that the combined storage capacity will remain above the Stage 1 trigger level for an extended period.

**As such, the BRA is terminating the Stage 1 – Drought Watch declaration for the System.** A Stage 2 – Drought Warning condition remains in effect for Lake Belton and the Lake Stillhouse Hollow-Lake Georgetown Sub-system, and a Stage 4 – Pro Rata Curtailment condition remains in effect for Lake Proctor. In accordance with the Plan, all drought stages have been terminated for the remainder of the reservoirs in the System. If drought conditions re-emerge later this year, we will coordinate with you as necessary under the Plan.

The Plan is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Cathy Dominguez, Regional Customer Relations Business Manager for the Lower Basin, at (254) 761-3176.

Sincerely,

DAVID COLLINSWORTH  
General Manager/CEO

DC:ch



Brazos River Authority

QUALITY • CONSERVATION • SERVICE

February 14, 2024

Mr. Andrew Bayley  
VP Raw Materials Procurement N  
BASF Corporation  
602 Copper Road  
Freeport, Texas 77541

Re: Termination of the Stage 1 – Drought Watch Declaration for the Brazos River Authority’s Reservoir System

Dear Mr. Bayley:

In accordance with its Drought Contingency Plan (Plan), the Brazos River Authority (BRA) informed you by letter of the declaration of the Stage 1 – Drought Watch for the BRA’s Water Supply System (System) on August 11, 2022. Due to rainfall over the past several weeks, the combined storage capacity of the System of water supply reservoirs has risen above the Stage 1 trigger. The System includes the following reservoirs: Possum Kingdom, Granbury, Whitney, Aquilla, Proctor, Belton, Stillhouse Hollow, Georgetown, Granger, Limestone, and Somerville. We anticipate that the combined storage capacity will remain above the Stage 1 trigger level for an extended period.

**As such, the BRA is terminating the Stage 1 – Drought Watch declaration for the System.** A Stage 2 – Drought Warning condition remains in effect for Lake Belton and the Lake Stillhouse Hollow-Lake Georgetown Sub-system, and a Stage 4 – Pro Rata Curtailment condition remains in effect for Lake Proctor. In accordance with the Plan, all drought stages have been terminated for the remainder of the reservoirs in the System. If drought conditions re-emerge later this year, we will coordinate with you as necessary under the Plan.

The Plan is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Cathy Dominguez, Regional Customer Relations Business Manager for the Lower Basin, at (254) 761-3176.

Sincerely,

DAVID COLLINSWORTH  
General Manager/CEO

DC:ch



Brazos River Authority

QUALITY • CONSERVATION • SERVICE

February 14, 2024

Ms. Virginia King  
Blanchard Refining Company LLC  
2401 5th Avenue South, NOB442  
Texas City, Texas 77590

Re: Termination of the Stage 1 – Drought Watch Declaration for the Brazos River Authority’s Reservoir System

Dear Ms. King:

In accordance with its Drought Contingency Plan (Plan), the Brazos River Authority (BRA) informed you by letter of the declaration of the Stage 1 – Drought Watch for the BRA’s Water Supply System (System) on August 11, 2022. Due to rainfall over the past several weeks, the combined storage capacity of the System of water supply reservoirs has risen above the Stage 1 trigger. The System includes the following reservoirs: Possum Kingdom, Granbury, Whitney, Aquilla, Proctor, Belton, Stillhouse Hollow, Georgetown, Granger, Limestone, and Somerville. We anticipate that the combined storage capacity will remain above the Stage 1 trigger level for an extended period.

**As such, the BRA is terminating the Stage 1 – Drought Watch declaration for the System.** A Stage 2 – Drought Warning condition remains in effect for Lake Belton and the Lake Stillhouse Hollow-Lake Georgetown Sub-system, and a Stage 4 – Pro Rata Curtailment condition remains in effect for Lake Proctor. In accordance with the Plan, all drought stages have been terminated for the remainder of the reservoirs in the System. If drought conditions re-emerge later this year, we will coordinate with you as necessary under the Plan.

The Plan is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Cathy Dominguez, Regional Customer Relations Business Manager for the Lower Basin, at (254) 761-3176.

Sincerely,

DAVID COLLINSWORTH  
General Manager/CEO

DC:ch



Brazos River Authority

QUALITY • CONSERVATION • SERVICE

February 14, 2024

Ms. Carolyn Miller  
City Manager  
City of Brenham  
Attn: Accounts Payable  
P.O. Box 1059  
Brenham, Texas 77834-1059

Re: Termination of the Stage 1 – Drought Watch Declaration for the Brazos River Authority's Reservoir System

Dear Ms. Miller:

In accordance with its Drought Contingency Plan (Plan), the Brazos River Authority (BRA) informed you by letter of the declaration of the Stage 1 – Drought Watch for the BRA's Water Supply System (System) on August 11, 2022. Due to rainfall over the past several weeks, the combined storage capacity of the System of water supply reservoirs has risen above the Stage 1 trigger. The System includes the following reservoirs: Possum Kingdom, Granbury, Whitney, Aquilla, Proctor, Belton, Stillhouse Hollow, Georgetown, Granger, Limestone, and Somerville. We anticipate that the combined storage capacity will remain above the Stage 1 trigger level for an extended period.

**As such, the BRA is terminating the Stage 1 – Drought Watch declaration for the System.** A Stage 2 – Drought Warning condition remains in effect for Lake Belton and the Lake Stillhouse Hollow-Lake Georgetown Sub-system, and a Stage 4 – Pro Rata Curtailment condition remains in effect for Lake Proctor. In accordance with the Plan, all drought stages have been terminated for the remainder of the reservoirs in the System. If drought conditions re-emerge later this year, we will coordinate with you as necessary under the Plan.

The Plan is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Cathy Dominguez, Regional Customer Relations Business Manager for the Lower Basin, at (254) 761-3176.

Sincerely,

DAVID COLLINSWORTH  
General Manager/CEO

DC:ch



Brazos River Authority



QUALITY • CONSERVATION • SERVICE

February 14, 2024

The Honorable Dan Davis  
Mayor  
City of Manvel  
P.O. Box 187  
Manvel, Texas 77578-0187

Re: Termination of the Stage 1 – Drought Watch Declaration for the Brazos River Authority's Reservoir System

Dear Mayor Davis:

In accordance with its Drought Contingency Plan (Plan), the Brazos River Authority (BRA) informed you by letter of the declaration of the Stage 1 – Drought Watch for the BRA's Water Supply System (System) on August 11, 2022. Due to rainfall over the past several weeks, the combined storage capacity of the System of water supply reservoirs has risen above the Stage 1 trigger. The System includes the following reservoirs: Possum Kingdom, Granbury, Whitney, Aquilla, Proctor, Belton, Stillhouse Hollow, Georgetown, Granger, Limestone, and Somerville. We anticipate that the combined storage capacity will remain above the Stage 1 trigger level for an extended period.

**As such, the BRA is terminating the Stage 1 – Drought Watch declaration for the System.** A Stage 2 – Drought Warning condition remains in effect for Lake Belton and the Lake Stillhouse Hollow-Lake Georgetown Sub-system, and a Stage 4 – Pro Rata Curtailment condition remains in effect for Lake Proctor. In accordance with the Plan, all drought stages have been terminated for the remainder of the reservoirs in the System. If drought conditions re-emerge later this year, we will coordinate with you as necessary under the Plan.

The Plan is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Cathy Dominguez, Regional Customer Relations Business Manager for the Lower Basin, at (254) 761-3176.

Sincerely,

DAVID COLLINSWORTH  
General Manager/CEO

DC:ch



Brazos River Authority

QUALITY • CONSERVATION • SERVICE

February 14, 2024

The Honorable Rebecca K. Haas  
Mayor  
City of Richmond  
402 Morton Street  
Richmond, Texas 77469

Re: Termination of the Stage 1 – Drought Watch Declaration for the Brazos River Authority’s Reservoir System

Dear Mayor Haas:

In accordance with its Drought Contingency Plan (Plan), the Brazos River Authority (BRA) informed you by letter of the declaration of the Stage 1 – Drought Watch for the BRA’s Water Supply System (System) on August 11, 2022. Due to rainfall over the past several weeks, the combined storage capacity of the System of water supply reservoirs has risen above the Stage 1 trigger. The System includes the following reservoirs: Possum Kingdom, Granbury, Whitney, Aquilla, Proctor, Belton, Stillhouse Hollow, Georgetown, Granger, Limestone, and Somerville. We anticipate that the combined storage capacity will remain above the Stage 1 trigger level for an extended period.

**As such, the BRA is terminating the Stage 1 – Drought Watch declaration for the System.** A Stage 2 – Drought Warning condition remains in effect for Lake Belton and the Lake Stillhouse Hollow-Lake Georgetown Sub-system, and a Stage 4 – Pro Rata Curtailment condition remains in effect for Lake Proctor. In accordance with the Plan, all drought stages have been terminated for the remainder of the reservoirs in the System. If drought conditions re-emerge later this year, we will coordinate with you as necessary under the Plan.

The Plan is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Cathy Dominguez, Regional Customer Relations Business Manager for the Lower Basin, at (254) 761-3176.

Sincerely,

DAVID COLLINSWORTH  
General Manager/CEO

DC:ch



Brazos River Authority



QUALITY • CONSERVATION • SERVICE

February 14, 2024

The Honorable Kevin Raines  
Mayor  
City of Rosenberg  
P.O. Box 32  
Rosenberg, Texas 77471-0032

Re: Termination of the Stage 1 – Drought Watch Declaration for the Brazos River Authority's Reservoir System

Dear Mayor Raines:

In accordance with its Drought Contingency Plan (Plan), the Brazos River Authority (BRA) informed you by letter of the declaration of the Stage 1 – Drought Watch for the BRA's Water Supply System (System) on August 11, 2022. Due to rainfall over the past several weeks, the combined storage capacity of the System of water supply reservoirs has risen above the Stage 1 trigger. The System includes the following reservoirs: Possum Kingdom, Granbury, Whitney, Aquilla, Proctor, Belton, Stillhouse Hollow, Georgetown, Granger, Limestone, and Somerville. We anticipate that the combined storage capacity will remain above the Stage 1 trigger level for an extended period.

**As such, the BRA is terminating the Stage 1 – Drought Watch declaration for the System.** A Stage 2 – Drought Warning condition remains in effect for Lake Belton and the Lake Stillhouse Hollow-Lake Georgetown Sub-system, and a Stage 4 – Pro Rata Curtailment condition remains in effect for Lake Proctor. In accordance with the Plan, all drought stages have been terminated for the remainder of the reservoirs in the System. If drought conditions re-emerge later this year, we will coordinate with you as necessary under the Plan.

The Plan is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Cathy Dominguez, Regional Customer Relations Business Manager for the Lower Basin, at (254) 761-3176.

Sincerely,

DAVID COLLINSWORTH  
General Manager/CEO

DC:ch



Brazos River Authority



QUALITY • CONSERVATION • SERVICE

February 14, 2024

Mr. Mike Goodrum  
City Manager  
City of Sugar Land  
2700 Town Center Blvd. N.  
Sugar Land, Texas 77479

Re: Termination of the Stage 1 – Drought Watch Declaration for the Brazos River Authority's Reservoir System

Dear Mr. Goodrum:

In accordance with its Drought Contingency Plan (Plan), the Brazos River Authority (BRA) informed you by letter of the declaration of the Stage 1 – Drought Watch for the BRA's Water Supply System (System) on August 11, 2022. Due to rainfall over the past several weeks, the combined storage capacity of the System of water supply reservoirs has risen above the Stage 1 trigger. The System includes the following reservoirs: Possum Kingdom, Granbury, Whitney, Aquilla, Proctor, Belton, Stillhouse Hollow, Georgetown, Granger, Limestone, and Somerville. We anticipate that the combined storage capacity will remain above the Stage 1 trigger level for an extended period.

**As such, the BRA is terminating the Stage 1 – Drought Watch declaration for the System.** A Stage 2 – Drought Warning condition remains in effect for Lake Belton and the Lake Stillhouse Hollow-Lake Georgetown Sub-system, and a Stage 4 – Pro Rata Curtailment condition remains in effect for Lake Proctor. In accordance with the Plan, all drought stages have been terminated for the remainder of the reservoirs in the System. If drought conditions re-emerge later this year, we will coordinate with you as necessary under the Plan.

The Plan is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Cathy Dominguez, Regional Customer Relations Business Manager for the Lower Basin, at (254) 761-3176.

Sincerely,

DAVID COLLINSWORTH  
General Manager/CEO

DC:ch



Brazos River Authority



QUALITY • CONSERVATION • SERVICE

February 14, 2024

Mr. Derek Rester  
Director of Environmental Operations  
Dow Chemical Company  
2301 N. Brazosport Blvd., B3501  
Freeport, Texas 77541-3257

Re: Termination of the Stage 1 – Drought Watch Declaration for the Brazos River Authority’s Reservoir System

Dear Mr. Rester:

In accordance with its Drought Contingency Plan (Plan), the Brazos River Authority (BRA) informed you by letter of the declaration of the Stage 1 – Drought Watch for the BRA’s Water Supply System (System) on August 11, 2022. Due to rainfall over the past several weeks, the combined storage capacity of the System of water supply reservoirs has risen above the Stage 1 trigger. The System includes the following reservoirs: Possum Kingdom, Granbury, Whitney, Aquilla, Proctor, Belton, Stillhouse Hollow, Georgetown, Granger, Limestone, and Somerville. We anticipate that the combined storage capacity will remain above the Stage 1 trigger level for an extended period.

**As such, the BRA is terminating the Stage 1 – Drought Watch declaration for the System.** A Stage 2 – Drought Warning condition remains in effect for Lake Belton and the Lake Stillhouse Hollow-Lake Georgetown Sub-system, and a Stage 4 – Pro Rata Curtailment condition remains in effect for Lake Proctor. In accordance with the Plan, all drought stages have been terminated for the remainder of the reservoirs in the System. If drought conditions re-emerge later this year, we will coordinate with you as necessary under the Plan.

The Plan is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Cathy Dominguez, Regional Customer Relations Business Manager for the Lower Basin, at (254) 761-3176.

Sincerely,

DAVID COLLINSWORTH  
General Manager/CEO

DC:ch



Brazos River Authority

QUALITY • CONSERVATION • SERVICE

February 14, 2024

Mr. Brandon Wade  
General Manager/CEO  
Gulf Coast Water Authority  
4243 Emmett F. Lowry Expressway  
Texas City, Texas 77591

Re: Termination of the Stage 1 – Drought Watch Declaration for the Brazos River Authority's Reservoir System

Dear Mr. Wade:

In accordance with its Drought Contingency Plan (Plan), the Brazos River Authority (BRA) informed you by letter of the declaration of the Stage 1 – Drought Watch for the BRA's Water Supply System (System) on August 11, 2022. Due to rainfall over the past several weeks, the combined storage capacity of the System of water supply reservoirs has risen above the Stage 1 trigger. The System includes the following reservoirs: Possum Kingdom, Granbury, Whitney, Aquilla, Proctor, Belton, Stillhouse Hollow, Georgetown, Granger, Limestone, and Somerville. We anticipate that the combined storage capacity will remain above the Stage 1 trigger level for an extended period.

**As such, the BRA is terminating the Stage 1 – Drought Watch declaration for the System.** A Stage 2 – Drought Warning condition remains in effect for Lake Belton and the Lake Stillhouse Hollow-Lake Georgetown Sub-system, and a Stage 4 – Pro Rata Curtailment condition remains in effect for Lake Proctor. In accordance with the Plan, all drought stages have been terminated for the remainder of the reservoirs in the System. If drought conditions re-emerge later this year, we will coordinate with you as necessary under the Plan.

The Plan is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Cathy Dominguez, Regional Customer Relations Business Manager for the Lower Basin, at (254) 761-3176.

Sincerely,

DAVID COLLINSWORTH  
General Manager/CEO

DC:ch



Brazos River Authority

QUALITY • CONSERVATION • SERVICE

February 14, 2024

Mr. William Gavranovic, Jr.  
President  
Horizon Turf Grass, Inc.  
5713 CR 156  
Wharton, Texas 77488

Re: Termination of the Stage 1 – Drought Watch Declaration for the Brazos River Authority's Reservoir System

Dear Mr. Gavranovic:

In accordance with its Drought Contingency Plan (Plan), the Brazos River Authority (BRA) informed you by letter of the declaration of the Stage 1 – Drought Watch for the BRA's Water Supply System (System) on August 11, 2022. Due to rainfall over the past several weeks, the combined storage capacity of the System of water supply reservoirs has risen above the Stage 1 trigger. The System includes the following reservoirs: Possum Kingdom, Granbury, Whitney, Aquilla, Proctor, Belton, Stillhouse Hollow, Georgetown, Granger, Limestone, and Somerville. We anticipate that the combined storage capacity will remain above the Stage 1 trigger level for an extended period.

**As such, the BRA is terminating the Stage 1 – Drought Watch declaration for the System.** A Stage 2 – Drought Warning condition remains in effect for Lake Belton and the Lake Stillhouse Hollow-Lake Georgetown Sub-system, and a Stage 4 – Pro Rata Curtailment condition remains in effect for Lake Proctor. In accordance with the Plan, all drought stages have been terminated for the remainder of the reservoirs in the System. If drought conditions re-emerge later this year, we will coordinate with you as necessary under the Plan.

The Plan is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Cathy Dominguez, Regional Customer Relations Business Manager for the Lower Basin, at (254) 761-3176.

Sincerely,

DAVID COLLINSWORTH  
General Manager/CEO

DC:ch



Brazos River Authority

QUALITY • CONSERVATION • SERVICE

February 14, 2024

Mr. Kevin Joyce  
Vice President  
King Ranch Turfgrass, LP  
106 N. Dennis  
Wharton, Texas 77488

Re: Termination of the Stage 1 – Drought Watch Declaration for the Brazos River Authority's Reservoir System

Dear Mr. Joyce:

In accordance with its Drought Contingency Plan (Plan), the Brazos River Authority (BRA) informed you by letter of the declaration of the Stage 1 – Drought Watch for the BRA's Water Supply System (System) on August 11, 2022. Due to rainfall over the past several weeks, the combined storage capacity of the System of water supply reservoirs has risen above the Stage 1 trigger. The System includes the following reservoirs: Possum Kingdom, Granbury, Whitney, Aquilla, Proctor, Belton, Stillhouse Hollow, Georgetown, Granger, Limestone, and Somerville. We anticipate that the combined storage capacity will remain above the Stage 1 trigger level for an extended period.

**As such, the BRA is terminating the Stage 1 – Drought Watch declaration for the System.** A Stage 2 – Drought Warning condition remains in effect for Lake Belton and the Lake Stillhouse Hollow-Lake Georgetown Sub-system, and a Stage 4 – Pro Rata Curtailment condition remains in effect for Lake Proctor. In accordance with the Plan, all drought stages have been terminated for the remainder of the reservoirs in the System. If drought conditions re-emerge later this year, we will coordinate with you as necessary under the Plan.

The Plan is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Cathy Dominguez, Regional Customer Relations Business Manager for the Lower Basin, at (254) 761-3176.

Sincerely,

DAVID COLLINSWORTH  
General Manager/CEO

DC:ch



Brazos River Authority

QUALITY • CONSERVATION • SERVICE

February 14, 2024

Mr. Carl Burch  
Environmental Manager, Regulatory Compliance  
NRG Energy  
7th Floor, Environmental  
910 Louisiana  
Houston, Texas 77002

Re: Termination of the Stage 1 – Drought Watch Declaration for the Brazos River Authority's Reservoir System

Dear Mr. Burch:

In accordance with its Drought Contingency Plan (Plan), the Brazos River Authority (BRA) informed you by letter of the declaration of the Stage 1 – Drought Watch for the BRA's Water Supply System (System) on August 11, 2022. Due to rainfall over the past several weeks, the combined storage capacity of the System of water supply reservoirs has risen above the Stage 1 trigger. The System includes the following reservoirs: Possum Kingdom, Granbury, Whitney, Aquilla, Proctor, Belton, Stillhouse Hollow, Georgetown, Granger, Limestone, and Somerville. We anticipate that the combined storage capacity will remain above the Stage 1 trigger level for an extended period.

**As such, the BRA is terminating the Stage 1 – Drought Watch declaration for the System.** A Stage 2 – Drought Warning condition remains in effect for Lake Belton and the Lake Stillhouse Hollow-Lake Georgetown Sub-system, and a Stage 4 – Pro Rata Curtailment condition remains in effect for Lake Proctor. In accordance with the Plan, all drought stages have been terminated for the remainder of the reservoirs in the System. If drought conditions re-emerge later this year, we will coordinate with you as necessary under the Plan.

The Plan is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Cathy Dominguez, Regional Customer Relations Business Manager for the Lower Basin, at (254) 761-3176.

Sincerely,

DAVID COLLINSWORTH  
General Manager/CEO

DC:ch



Brazos River Authority

QUALITY • CONSERVATION • SERVICE

February 14, 2024

Mr. Ryan Yokubaitis  
Board President  
Pecan Grove MUD  
3401 Louisiana Street, Suite 400  
Houston, Texas 77002

Re: Termination of the Stage 1 – Drought Watch Declaration for the Brazos River Authority's Reservoir System

Dear Mr. Yokubaitis:

In accordance with its Drought Contingency Plan (Plan), the Brazos River Authority (BRA) informed you by letter of the declaration of the Stage 1 – Drought Watch for the BRA's Water Supply System (System) on August 11, 2022. Due to rainfall over the past several weeks, the combined storage capacity of the System of water supply reservoirs has risen above the Stage 1 trigger. The System includes the following reservoirs: Possum Kingdom, Granbury, Whitney, Aquilla, Proctor, Belton, Stillhouse Hollow, Georgetown, Granger, Limestone, and Somerville. We anticipate that the combined storage capacity will remain above the Stage 1 trigger level for an extended period.

**As such, the BRA is terminating the Stage 1 – Drought Watch declaration for the System.** A Stage 2 – Drought Warning condition remains in effect for Lake Belton and the Lake Stillhouse Hollow-Lake Georgetown Sub-system, and a Stage 4 – Pro Rata Curtailment condition remains in effect for Lake Proctor. In accordance with the Plan, all drought stages have been terminated for the remainder of the reservoirs in the System. If drought conditions re-emerge later this year, we will coordinate with you as necessary under the Plan.

The Plan is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Cathy Dominguez, Regional Customer Relations Business Manager for the Lower Basin, at (254) 761-3176.

Sincerely,

DAVID COLLINSWORTH  
General Manager/CEO

DC:ch



Brazos River Authority

QUALITY • CONSERVATION • SERVICE

February 14, 2024

Mr. Jimmy C. Roe  
President  
South Limestone County WSC  
245 LCR 775  
Groesbeck, Texas 76642-2174

Re: Termination of the Stage 1 – Drought Watch Declaration for the Brazos River Authority's Reservoir System

Dear Mr. Roe:

In accordance with its Drought Contingency Plan (Plan), the Brazos River Authority (BRA) informed you by letter of the declaration of the Stage 1 – Drought Watch for the BRA's Water Supply System (System) on August 11, 2022. Due to rainfall over the past several weeks, the combined storage capacity of the System of water supply reservoirs has risen above the Stage 1 trigger. The System includes the following reservoirs: Possum Kingdom, Granbury, Whitney, Aquilla, Proctor, Belton, Stillhouse Hollow, Georgetown, Granger, Limestone, and Somerville. We anticipate that the combined storage capacity will remain above the Stage 1 trigger level for an extended period.

**As such, the BRA is terminating the Stage 1 – Drought Watch declaration for the System.** A Stage 2 – Drought Warning condition remains in effect for Lake Belton and the Lake Stillhouse Hollow-Lake Georgetown Sub-system, and a Stage 4 – Pro Rata Curtailment condition remains in effect for Lake Proctor. In accordance with the Plan, all drought stages have been terminated for the remainder of the reservoirs in the System. If drought conditions re-emerge later this year, we will coordinate with you as necessary under the Plan.

The Plan is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Cathy Dominguez, Regional Customer Relations Business Manager for the Lower Basin, at (254) 761-3176.

Sincerely,

DAVID COLLINSWORTH  
General Manager/CEO

DC:ch



Brazos River Authority

QUALITY • CONSERVATION • SERVICE

February 14, 2024

Mr. Ryan Bayle  
Water Resources Coordinator  
TXU / Luminant Generation Co.  
6555 Sierra Drive  
Irving, Texas 75039

Re: Termination of the Stage 1 – Drought Watch Declaration for the Brazos River Authority's Reservoir System

Dear Mr. Bayle:

In accordance with its Drought Contingency Plan (Plan), the Brazos River Authority (BRA) informed you by letter of the declaration of the Stage 1 – Drought Watch for the BRA's Water Supply System (System) on August 11, 2022. Due to rainfall over the past several weeks, the combined storage capacity of the System of water supply reservoirs has risen above the Stage 1 trigger. The System includes the following reservoirs: Possum Kingdom, Granbury, Whitney, Aquilla, Proctor, Belton, Stillhouse Hollow, Georgetown, Granger, Limestone, and Somerville. We anticipate that the combined storage capacity will remain above the Stage 1 trigger level for an extended period.

**As such, the BRA is terminating the Stage 1 – Drought Watch declaration for the System.** A Stage 2 – Drought Warning condition remains in effect for Lake Belton and the Lake Stillhouse Hollow-Lake Georgetown Sub-system, and a Stage 4 – Pro Rata Curtailment condition remains in effect for Lake Proctor. In accordance with the Plan, all drought stages have been terminated for the remainder of the reservoirs in the System. If drought conditions re-emerge later this year, we will coordinate with you as necessary under the Plan.

The Plan is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Cathy Dominguez, Regional Customer Relations Business Manager for the Lower Basin, at (254) 761-3176.

Sincerely,

DAVID COLLINSWORTH  
General Manager/CEO

DC:ch



Brazos River Authority

QUALITY • CONSERVATION • SERVICE

February 14, 2024

Mr. Campbell Young  
General Manager  
Wellborn Special Utility District  
P.O. Box 250  
Wellborn, Texas 77881

Re: Termination of the Stage 1 – Drought Watch Declaration for the Brazos River Authority’s Reservoir System

Dear Mr. Young:

In accordance with its Drought Contingency Plan (Plan), the Brazos River Authority (BRA) informed you by letter of the declaration of the Stage 1 – Drought Watch for the BRA’s Water Supply System (System) on August 11, 2022. Due to rainfall over the past several weeks, the combined storage capacity of the System of water supply reservoirs has risen above the Stage 1 trigger. The System includes the following reservoirs: Possum Kingdom, Granbury, Whitney, Aquilla, Proctor, Belton, Stillhouse Hollow, Georgetown, Granger, Limestone, and Somerville. We anticipate that the combined storage capacity will remain above the Stage 1 trigger level for an extended period.

**As such, the BRA is terminating the Stage 1 – Drought Watch declaration for the System.** A Stage 2 – Drought Warning condition remains in effect for Lake Belton and the Lake Stillhouse Hollow-Lake Georgetown Sub-system, and a Stage 4 – Pro Rata Curtailment condition remains in effect for Lake Proctor. In accordance with the Plan, all drought stages have been terminated for the remainder of the reservoirs in the System. If drought conditions re-emerge later this year, we will coordinate with you as necessary under the Plan.

The Plan is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Cathy Dominguez, Regional Customer Relations Business Manager for the Lower Basin, at (254) 761-3176.

Sincerely,

DAVID COLLINSWORTH  
General Manager/CEO

DC:ch