

May 14, 2024

Mr. Ricky Garrett  
General Manager  
Bell County WCID #1  
201 S. 38th Street  
Killeen, Texas 76543

Re: Termination of the Stage 2 – Drought Warning Declaration for the Stillhouse Hollow  
– Lake Georgetown Sub-system

Dear Mr. Garrett:

In accordance with its Drought Contingency Plan (Plan), the Brazos River Authority (BRA) informed you by letter of the declaration of the Stage 2 – Drought Warning for the Stillhouse-Georgetown (SH-GT) Sub-system on August 4, 2023. Due to recent rainfall, the combined storage of the SH-GT Sub-system has risen above both the Stage 2 and the Stage 1 combined storage trigger. We anticipate that the combined storage of the SH-GT Sub-system will remain above the Stage 1 trigger level for an extended period.

**As such, the BRA is terminating all drought warning declarations for the SH-GT Sub-system.** If drought conditions re-emerge later this year, we will coordinate with you as necessary under the Plan.

The Plan is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Regional Customer Relations Business Manager for the Central Basin, at (254) 761-3165.

Sincerely,



DAVID COLLINSWORTH  
General Manager/CEO

DC:ch

May 14, 2024

Mr. Shean Dalton  
General Manager  
Brushy Creek MUD  
16318 Great Oaks Drive  
Round Rock, Texas 78681

Re: Termination of the Stage 2 – Drought Warning Declaration for the Stillhouse Hollow  
– Lake Georgetown Sub-system

Dear Mr. Dalton:

In accordance with its Drought Contingency Plan (Plan), the Brazos River Authority (BRA) informed you by letter of the declaration of the Stage 2 – Drought Warning for the Stillhouse-Georgetown (SH-GT) Sub-system on August 4, 2023. Due to recent rainfall, the combined storage of the SH-GT Sub-system has risen above both the Stage 2 and the Stage 1 combined storage trigger. We anticipate that the combined storage of the SH-GT Sub-system will remain above the Stage 1 trigger level for an extended period.

**As such, the BRA is terminating all drought warning declarations for the SH-GT Sub-system.** If drought conditions re-emerge later this year, we will coordinate with you as necessary under the Plan.

The Plan is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Regional Customer Relations Business Manager for the Central Basin, at (254) 761-3165.

Sincerely,



DAVID COLLINSWORTH  
General Manager/CEO

DC:ch

May 14, 2024

Mr. Lee Kelley  
General Manager  
Central Texas Water Supply Corporation  
P.O. Box 2393  
Harker Heights, Texas 76548

Re: Termination of the Stage 2 – Drought Warning Declaration for the Stillhouse Hollow  
– Lake Georgetown Sub-system

Dear Mr. Kelley:

In accordance with its Drought Contingency Plan (Plan), the Brazos River Authority (BRA) informed you by letter of the declaration of the Stage 2 – Drought Warning for the Stillhouse-Georgetown (SH-GT) Sub-system on August 4, 2023. Due to recent rainfall, the combined storage of the SH-GT Sub-system has risen above both the Stage 2 and the Stage 1 combined storage trigger. We anticipate that the combined storage of the SH-GT Sub-system will remain above the Stage 1 trigger level for an extended period.

**As such, the BRA is terminating all drought warning declarations for the SH-GT Sub-system.** If drought conditions re-emerge later this year, we will coordinate with you as necessary under the Plan.

The Plan is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Regional Customer Relations Business Manager for the Central Basin, at (254) 761-3165.

Sincerely,



DAVID COLLINSWORTH  
General Manager/CEO

DC:ch

May 14, 2024

Mr. David Morgan  
City Manager  
City of Georgetown  
P.O. Box 409  
Georgetown, Texas 78627-0409

Re: Termination of the Stage 2 – Drought Warning Declaration for the Stillhouse Hollow  
– Lake Georgetown Sub-system

Dear Mr. Morgan:

In accordance with its Drought Contingency Plan (Plan), the Brazos River Authority (BRA) informed you by letter of the declaration of the Stage 2 – Drought Warning for the Stillhouse-Georgetown (SH-GT) Sub-system on August 4, 2023. Due to recent rainfall, the combined storage of the SH-GT Sub-system has risen above both the Stage 2 and the Stage 1 combined storage trigger. We anticipate that the combined storage of the SH-GT Sub-system will remain above the Stage 1 trigger level for an extended period.

**As such, the BRA is terminating all drought warning declarations for the SH-GT Sub-system.** If drought conditions re-emerge later this year, we will coordinate with you as necessary under the Plan.

The Plan is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Regional Customer Relations Business Manager for the Central Basin, at (254) 761-3165.

Sincerely,



DAVID COLLINSWORTH  
General Manager/CEO

DC:ch

May 14, 2024

Mr. David Mitchell  
City Manager  
City of Harker Heights  
305 Miller's Crossing  
Harker Heights, Texas 76548

Re: Termination of the Stage 2 – Drought Warning Declaration for the Stillhouse Hollow  
– Lake Georgetown Sub-system

Dear Mr. Mitchell:

In accordance with its Drought Contingency Plan (Plan), the Brazos River Authority (BRA) informed you by letter of the declaration of the Stage 2 – Drought Warning for the Stillhouse-Georgetown (SH-GT) Sub-system on August 4, 2023. Due to recent rainfall, the combined storage of the SH-GT Sub-system has risen above both the Stage 2 and the Stage 1 combined storage trigger. We anticipate that the combined storage of the SH-GT Sub-system will remain above the Stage 1 trigger level for an extended period.

**As such, the BRA is terminating all drought warning declarations for the SH-GT Sub-system.** If drought conditions re-emerge later this year, we will coordinate with you as necessary under the Plan.

The Plan is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Regional Customer Relations Business Manager for the Central Basin, at (254) 761-3165.

Sincerely,



DAVID COLLINSWORTH  
General Manager/CEO

DC:ch

May 14, 2024

Mr. Finley deGraffenried  
City Manager  
City of Lampasas  
312 E. Third St.  
Lampasas, Texas 76550

Re: Termination of the Stage 2 – Drought Warning Declaration for the Stillhouse Hollow  
– Lake Georgetown Sub-system

Dear Mr. deGraffenried:

In accordance with its Drought Contingency Plan (Plan), the Brazos River Authority (BRA) informed you by letter of the declaration of the Stage 2 – Drought Warning for the Stillhouse-Georgetown (SH-GT) Sub-system on August 4, 2023. Due to recent rainfall, the combined storage of the SH-GT Sub-system has risen above both the Stage 2 and the Stage 1 combined storage trigger. We anticipate that the combined storage of the SH-GT Sub-system will remain above the Stage 1 trigger level for an extended period.

**As such, the BRA is terminating all drought warning declarations for the SH-GT Sub-system.** If drought conditions re-emerge later this year, we will coordinate with you as necessary under the Plan.

The Plan is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Regional Customer Relations Business Manager for the Central Basin, at (254) 761-3165.

Sincerely,



DAVID COLLINSWORTH  
General Manager/CEO

DC:ch

May 14, 2024

Ms. Laurie Hadley  
City Manager  
City of Round Rock  
221 East Main Street  
Round Rock, Texas 78664

Re: Termination of the Stage 2 – Drought Warning Declaration for the Stillhouse Hollow  
– Lake Georgetown Sub-system

Dear Ms. Hadley:

In accordance with its Drought Contingency Plan (Plan), the Brazos River Authority (BRA) informed you by letter of the declaration of the Stage 2 – Drought Warning for the Stillhouse-Georgetown (SH-GT) Sub-system on August 4, 2023. Due to recent rainfall, the combined storage of the SH-GT Sub-system has risen above both the Stage 2 and the Stage 1 combined storage trigger. We anticipate that the combined storage of the SH-GT Sub-system will remain above the Stage 1 trigger level for an extended period.

**As such, the BRA is terminating all drought warning declarations for the SH-GT Sub-system.** If drought conditions re-emerge later this year, we will coordinate with you as necessary under the Plan.

The Plan is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Regional Customer Relations Business Manager for the Central Basin, at (254) 761-3165.

Sincerely,



DAVID COLLINSWORTH  
General Manager/CEO

DC:ch

May 14, 2024

Vera, Paul, & Mark Gerstenberg  
Country Harvest  
781 Texas Avenue  
Port Neches, Texas 77651

Re: Termination of the Stage 2 – Drought Warning Declaration for the Stillhouse Hollow  
– Lake Georgetown Sub-system

Dear Vera, Paul, & Mark Gerstenberg:

In accordance with its Drought Contingency Plan (Plan), the Brazos River Authority (BRA) informed you by letter of the declaration of the Stage 2 – Drought Warning for the Stillhouse-Georgetown (SH-GT) Sub-system on August 4, 2023. Due to recent rainfall, the combined storage of the SH-GT Sub-system has risen above both the Stage 2 and the Stage 1 combined storage trigger. We anticipate that the combined storage of the SH-GT Sub-system will remain above the Stage 1 trigger level for an extended period.

**As such, the BRA is terminating all drought warning declarations for the SH-GT Sub-system.** If drought conditions re-emerge later this year, we will coordinate with you as necessary under the Plan.

The Plan is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Regional Customer Relations Business Manager for the Central Basin, at (254) 761-3165.

Sincerely,



DAVID COLLINSWORTH  
General Manager/CEO

DC:ch

May 14, 2024

Mr. Aaron Kreiter  
High Gabriel Water Supply Corporation  
P.O. Box 2799  
Cedar Park, Texas 78630

Re: Termination of the Stage 2 – Drought Warning Declaration for the Stillhouse Hollow  
– Lake Georgetown Sub-system

Dear Mr. Kreiter:

In accordance with its Drought Contingency Plan (Plan), the Brazos River Authority (BRA) informed you by letter of the declaration of the Stage 2 – Drought Warning for the Stillhouse-Georgetown (SH-GT) Sub-system on August 4, 2023. Due to recent rainfall, the combined storage of the SH-GT Sub-system has risen above both the Stage 2 and the Stage 1 combined storage trigger. We anticipate that the combined storage of the SH-GT Sub-system will remain above the Stage 1 trigger level for an extended period.

**As such, the BRA is terminating all drought warning declarations for the SH-GT Sub-system.** If drought conditions re-emerge later this year, we will coordinate with you as necessary under the Plan.

The Plan is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Regional Customer Relations Business Manager for the Central Basin, at (254) 761-3165.

Sincerely,



DAVID COLLINSWORTH  
General Manager/CEO

DC:ch

May 14, 2024

Mr. Joe Simmons  
General Manager  
Jarrell-Schwertner Water Supply Corporation  
P.O. Box 40  
Jarrell, Texas 76537

Re: Termination of the Stage 2 – Drought Warning Declaration for the Stillhouse Hollow  
– Lake Georgetown Sub-system

Dear Mr. Simmons:

In accordance with its Drought Contingency Plan (Plan), the Brazos River Authority (BRA) informed you by letter of the declaration of the Stage 2 – Drought Warning for the Stillhouse-Georgetown (SH-GT) Sub-system on August 4, 2023. Due to recent rainfall, the combined storage of the SH-GT Sub-system has risen above both the Stage 2 and the Stage 1 combined storage trigger. We anticipate that the combined storage of the SH-GT Sub-system will remain above the Stage 1 trigger level for an extended period.

**As such, the BRA is terminating all drought warning declarations for the SH-GT Sub-system.** If drought conditions re-emerge later this year, we will coordinate with you as necessary under the Plan.

The Plan is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Regional Customer Relations Business Manager for the Central Basin, at (254) 761-3165.

Sincerely,



DAVID COLLINSWORTH  
General Manager/CEO

DC:ch

May 14, 2024

Mr. Bruce Sorenson  
General Manager  
Kempner Water Supply Corporation  
P.O. Box 103  
Kempner, Texas 76539

Re: Termination of the Stage 2 – Drought Warning Declaration for the Stillhouse Hollow  
– Lake Georgetown Sub-system

Dear Mr. Sorenson:

In accordance with its Drought Contingency Plan (Plan), the Brazos River Authority (BRA) informed you by letter of the declaration of the Stage 2 – Drought Warning for the Stillhouse-Georgetown (SH-GT) Sub-system on August 4, 2023. Due to recent rainfall, the combined storage of the SH-GT Sub-system has risen above both the Stage 2 and the Stage 1 combined storage trigger. We anticipate that the combined storage of the SH-GT Sub-system will remain above the Stage 1 trigger level for an extended period.

**As such, the BRA is terminating all drought warning declarations for the SH-GT Sub-system.** If drought conditions re-emerge later this year, we will coordinate with you as necessary under the Plan.

The Plan is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Regional Customer Relations Business Manager for the Central Basin, at (254) 761-3165.

Sincerely,



DAVID COLLINSWORTH  
General Manager/CEO

DC:ch

May 14, 2024

Mr. Ricky Preston  
General Manager  
Salado Water Supply Corporation  
P.O. Box 128  
Salado, Texas 76571

Re: Termination of the Stage 2 – Drought Warning Declaration for the Stillhouse Hollow  
– Lake Georgetown Sub-system

Dear Mr. Preston:

In accordance with its Drought Contingency Plan (Plan), the Brazos River Authority (BRA) informed you by letter of the declaration of the Stage 2 – Drought Warning for the Stillhouse-Georgetown (SH-GT) Sub-system on August 4, 2023. Due to recent rainfall, the combined storage of the SH-GT Sub-system has risen above both the Stage 2 and the Stage 1 combined storage trigger. We anticipate that the combined storage of the SH-GT Sub-system will remain above the Stage 1 trigger level for an extended period.

**As such, the BRA is terminating all drought warning declarations for the SH-GT Sub-system.** If drought conditions re-emerge later this year, we will coordinate with you as necessary under the Plan.

The Plan is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Regional Customer Relations Business Manager for the Central Basin, at (254) 761-3165.

Sincerely,



DAVID COLLINSWORTH  
General Manager/CEO

DC:ch