



Brazos River Authority



QUALITY • CONSERVATION • SERVICE

February 14, 2024

Mr. Brad Daniels
General Manager
Aquila Water Supply District
P.O. Box 959
Hillsboro, Texas 76645

Re: Termination of the Stage 1 – Drought Watch Declaration for the Brazos River Authority's Reservoir System

Dear Mr. Daniels:

In accordance with its Drought Contingency Plan (Plan), the Brazos River Authority (BRA) informed you by letter of the declaration of the Stage 1 – Drought Watch for the BRA's Water Supply System (System) on August 11, 2022. Due to rainfall over the past several weeks, the combined storage capacity of the System of water supply reservoirs has risen above the Stage 1 trigger. The System includes the following reservoirs: Possum Kingdom, Granbury, Whitney, Aquilla, Proctor, Belton, Stillhouse Hollow, Georgetown, Granger, Limestone, and Somerville. We anticipate that the combined storage capacity will remain above the Stage 1 trigger level for an extended period.

As such, the BRA is terminating the Stage 1 – Drought Watch declaration for the System. A Stage 2 – Drought Warning condition remains in effect for Lake Belton and the Lake Stillhouse Hollow-Lake Georgetown Sub-system, and a Stage 4 – Pro Rata Curtailment condition remains in effect for Lake Proctor. In accordance with the Plan, all drought stages have been terminated for the remainder of the reservoirs in the System. If drought conditions re-emerge later this year, we will coordinate with you as necessary under the Plan.

The Plan is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Regional Customer Relations Business Manager for the Central Basin, at (254) 761-3165.

Sincerely,

DAVID COLLINSWORTH
General Manager/CEO

DC:ch



Brazos River Authority

QUALITY • CONSERVATION • SERVICE

February 14, 2024

Mr. Rory Cliett
Plant Manager
Calpine Bosque Energy Center, LLC
557 Bosque County Rd 3610
Clifton, Texas 76634

Re: Termination of the Stage 1 – Drought Watch Declaration for the Brazos River Authority's Reservoir System

Dear Mr. Cliett:

In accordance with its Drought Contingency Plan (Plan), the Brazos River Authority (BRA) informed you by letter of the declaration of the Stage 1 – Drought Watch for the BRA's Water Supply System (System) on August 11, 2022. Due to rainfall over the past several weeks, the combined storage capacity of the System of water supply reservoirs has risen above the Stage 1 trigger. The System includes the following reservoirs: Possum Kingdom, Granbury, Whitney, Aquilla, Proctor, Belton, Stillhouse Hollow, Georgetown, Granger, Limestone, and Somerville. We anticipate that the combined storage capacity will remain above the Stage 1 trigger level for an extended period.

As such, the BRA is terminating the Stage 1 – Drought Watch declaration for the System. A Stage 2 – Drought Warning condition remains in effect for Lake Belton and the Lake Stillhouse Hollow-Lake Georgetown Sub-system, and a Stage 4 – Pro Rata Curtailment condition remains in effect for Lake Proctor. In accordance with the Plan, all drought stages have been terminated for the remainder of the reservoirs in the System. If drought conditions re-emerge later this year, we will coordinate with you as necessary under the Plan.

The Plan is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Regional Customer Relations Business Manager for the Central Basin, at (254) 761-3165.

Sincerely,

DAVID COLLINSWORTH
General Manager/CEO

DC:ch



Brazos River Authority



QUALITY • CONSERVATION • SERVICE

February 14, 2024

The Honorable Tommy Ross
Mayor
City of Lorena
107A S. Frontage Road
Lorena, Texas 76655-5001

Re: Termination of the Stage 1 – Drought Watch Declaration for the Brazos River Authority’s Reservoir System

Dear Mayor Ross:

In accordance with its Drought Contingency Plan (Plan), the Brazos River Authority (BRA) informed you by letter of the declaration of the Stage 1 – Drought Watch for the BRA’s Water Supply System (System) on August 11, 2022. Due to rainfall over the past several weeks, the combined storage capacity of the System of water supply reservoirs has risen above the Stage 1 trigger. The System includes the following reservoirs: Possum Kingdom, Granbury, Whitney, Aquilla, Proctor, Belton, Stillhouse Hollow, Georgetown, Granger, Limestone, and Somerville. We anticipate that the combined storage capacity will remain above the Stage 1 trigger level for an extended period.

As such, the BRA is terminating the Stage 1 – Drought Watch declaration for the System. A Stage 2 – Drought Warning condition remains in effect for Lake Belton and the Lake Stillhouse Hollow-Lake Georgetown Sub-system, and a Stage 4 – Pro Rata Curtailment condition remains in effect for Lake Proctor. In accordance with the Plan, all drought stages have been terminated for the remainder of the reservoirs in the System. If drought conditions re-emerge later this year, we will coordinate with you as necessary under the Plan.

The Plan is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Regional Customer Relations Business Manager for the Central Basin, at (254) 761-3165.

Sincerely,

DAVID COLLINSWORTH
General Manager/CEO

DC:ch



Brazos River Authority

QUALITY • CONSERVATION • SERVICE

February 14, 2024

Mr. Keith Whitfield
City Manager
City of Marlin
101 Fortune Street
Marlin, Texas 76661

Re: Termination of the Stage 1 – Drought Watch Declaration for the Brazos River Authority's Reservoir System

Dear Mr. Whitfield:

In accordance with its Drought Contingency Plan (Plan), the Brazos River Authority (BRA) informed you by letter of the declaration of the Stage 1 – Drought Watch for the BRA's Water Supply System (System) on August 11, 2022. Due to rainfall over the past several weeks, the combined storage capacity of the System of water supply reservoirs has risen above the Stage 1 trigger. The System includes the following reservoirs: Possum Kingdom, Granbury, Whitney, Aquilla, Proctor, Belton, Stillhouse Hollow, Georgetown, Granger, Limestone, and Somerville. We anticipate that the combined storage capacity will remain above the Stage 1 trigger level for an extended period.

As such, the BRA is terminating the Stage 1 – Drought Watch declaration for the System. A Stage 2 – Drought Warning condition remains in effect for Lake Belton and the Lake Stillhouse Hollow-Lake Georgetown Sub-system, and a Stage 4 – Pro Rata Curtailment condition remains in effect for Lake Proctor. In accordance with the Plan, all drought stages have been terminated for the remainder of the reservoirs in the System. If drought conditions re-emerge later this year, we will coordinate with you as necessary under the Plan.

The Plan is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Regional Customer Relations Business Manager for the Central Basin, at (254) 761-3165.

Sincerely,

DAVID COLLINSWORTH
General Manager/CEO

DC:ch



Brazos River Authority



QUALITY • CONSERVATION • SERVICE

February 14, 2024

Mr. Craig Lemin
City Manager
City of Robinson
111 W. Lyndale
Robinson, Texas 76706

Re: Termination of the Stage 1 – Drought Watch Declaration for the Brazos River Authority's Reservoir System

Dear Mr. Lemin:

In accordance with its Drought Contingency Plan (Plan), the Brazos River Authority (BRA) informed you by letter of the declaration of the Stage 1 – Drought Watch for the BRA's Water Supply System (System) on August 11, 2022. Due to rainfall over the past several weeks, the combined storage capacity of the System of water supply reservoirs has risen above the Stage 1 trigger. The System includes the following reservoirs: Possum Kingdom, Granbury, Whitney, Aquilla, Proctor, Belton, Stillhouse Hollow, Georgetown, Granger, Limestone, and Somerville. We anticipate that the combined storage capacity will remain above the Stage 1 trigger level for an extended period.

As such, the BRA is terminating the Stage 1 – Drought Watch declaration for the System. A Stage 2 – Drought Warning condition remains in effect for Lake Belton and the Lake Stillhouse Hollow-Lake Georgetown Sub-system, and a Stage 4 – Pro Rata Curtailment condition remains in effect for Lake Proctor. In accordance with the Plan, all drought stages have been terminated for the remainder of the reservoirs in the System. If drought conditions re-emerge later this year, we will coordinate with you as necessary under the Plan.

The Plan is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Regional Customer Relations Business Manager for the Central Basin, at (254) 761-3165.

Sincerely,

DAVID COLLINSWORTH
General Manager/CEO

DC:ch



Brazos River Authority



QUALITY • CONSERVATION • SERVICE

February 14, 2024

Mr. Brian LaBorde
City Manager
City of Taylor
400 Porter Street
Taylor, Texas 76574

Re: Termination of the Stage 1 – Drought Watch Declaration for the Brazos River Authority's Reservoir System

Dear Mr. LaBorde:

In accordance with its Drought Contingency Plan (Plan), the Brazos River Authority (BRA) informed you by letter of the declaration of the Stage 1 – Drought Watch for the BRA's Water Supply System (System) on August 11, 2022. Due to rainfall over the past several weeks, the combined storage capacity of the System of water supply reservoirs has risen above the Stage 1 trigger. The System includes the following reservoirs: Possum Kingdom, Granbury, Whitney, Aquilla, Proctor, Belton, Stillhouse Hollow, Georgetown, Granger, Limestone, and Somerville. We anticipate that the combined storage capacity will remain above the Stage 1 trigger level for an extended period.

As such, the BRA is terminating the Stage 1 – Drought Watch declaration for the System. A Stage 2 – Drought Warning condition remains in effect for Lake Belton and the Lake Stillhouse Hollow-Lake Georgetown Sub-system, and a Stage 4 – Pro Rata Curtailment condition remains in effect for Lake Proctor. In accordance with the Plan, all drought stages have been terminated for the remainder of the reservoirs in the System. If drought conditions re-emerge later this year, we will coordinate with you as necessary under the Plan.

The Plan is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Regional Customer Relations Business Manager for the Central Basin, at (254) 761-3165.

Sincerely,

DAVID COLLINSWORTH
General Manager/CEO

DC:ch



Brazos River Authority



QUALITY • CONSERVATION • SERVICE

February 14, 2024

Mr. Brent Neuhaus
Partner
Neuhaus Trusts Partnership
7736 Central Park Dr.
Waco, Texas 76712

Re: Termination of the Stage 1 – Drought Watch Declaration for the Brazos River Authority's Reservoir System

Dear Mr. Neuhaus:

In accordance with its Drought Contingency Plan (Plan), the Brazos River Authority (BRA) informed you by letter of the declaration of the Stage 1 – Drought Watch for the BRA's Water Supply System (System) on August 11, 2022. Due to rainfall over the past several weeks, the combined storage capacity of the System of water supply reservoirs has risen above the Stage 1 trigger. The System includes the following reservoirs: Possum Kingdom, Granbury, Whitney, Aquilla, Proctor, Belton, Stillhouse Hollow, Georgetown, Granger, Limestone, and Somerville. We anticipate that the combined storage capacity will remain above the Stage 1 trigger level for an extended period.

As such, the BRA is terminating the Stage 1 – Drought Watch declaration for the System. A Stage 2 – Drought Warning condition remains in effect for Lake Belton and the Lake Stillhouse Hollow-Lake Georgetown Sub-system, and a Stage 4 – Pro Rata Curtailment condition remains in effect for Lake Proctor. In accordance with the Plan, all drought stages have been terminated for the remainder of the reservoirs in the System. If drought conditions re-emerge later this year, we will coordinate with you as necessary under the Plan.

The Plan is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Regional Customer Relations Business Manager for the Central Basin, at (254) 761-3165.

Sincerely,

DAVID COLLINSWORTH
General Manager/CEO

DC:ch



Brazos River Authority



QUALITY • CONSERVATION • SERVICE

February 14, 2024

The Honorable Danny Chambers
County Judge
Somervell County
P.O. Box 851
Glen Rose, Texas 76043

Re: Termination of the Stage 1 – Drought Watch Declaration for the Brazos River Authority's Reservoir System

Dear Judge Chambers:

In accordance with its Drought Contingency Plan (Plan), the Brazos River Authority (BRA) informed you by letter of the declaration of the Stage 1 – Drought Watch for the BRA's Water Supply System (System) on August 11, 2022. Due to rainfall over the past several weeks, the combined storage capacity of the System of water supply reservoirs has risen above the Stage 1 trigger. The System includes the following reservoirs: Possum Kingdom, Granbury, Whitney, Aquilla, Proctor, Belton, Stillhouse Hollow, Georgetown, Granger, Limestone, and Somerville. We anticipate that the combined storage capacity will remain above the Stage 1 trigger level for an extended period.

As such, the BRA is terminating the Stage 1 – Drought Watch declaration for the System. A Stage 2 – Drought Warning condition remains in effect for Lake Belton and the Lake Stillhouse Hollow-Lake Georgetown Sub-system, and a Stage 4 – Pro Rata Curtailment condition remains in effect for Lake Proctor. In accordance with the Plan, all drought stages have been terminated for the remainder of the reservoirs in the System. If drought conditions re-emerge later this year, we will coordinate with you as necessary under the Plan.

The Plan is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Regional Customer Relations Business Manager for the Central Basin, at (254) 761-3165.

Sincerely,

DAVID COLLINSWORTH
General Manager/CEO

DC:ch



Brazos River Authority



QUALITY • CONSERVATION • SERVICE

February 14, 2024

Mr. Bill Finney
General Manager
White Bluff POA
20022 Misty Valley Circle
Whitney, Texas 76692

Re: Termination of the Stage 1 – Drought Watch Declaration for the Brazos River Authority's Reservoir System

Dear Mr. Finney:

In accordance with its Drought Contingency Plan (Plan), the Brazos River Authority (BRA) informed you by letter of the declaration of the Stage 1 – Drought Watch for the BRA's Water Supply System (System) on August 11, 2022. Due to rainfall over the past several weeks, the combined storage capacity of the System of water supply reservoirs has risen above the Stage 1 trigger. The System includes the following reservoirs: Possum Kingdom, Granbury, Whitney, Aquilla, Proctor, Belton, Stillhouse Hollow, Georgetown, Granger, Limestone, and Somerville. We anticipate that the combined storage capacity will remain above the Stage 1 trigger level for an extended period.

As such, the BRA is terminating the Stage 1 – Drought Watch declaration for the System. A Stage 2 – Drought Warning condition remains in effect for Lake Belton and the Lake Stillhouse Hollow-Lake Georgetown Sub-system, and a Stage 4 – Pro Rata Curtailment condition remains in effect for Lake Proctor. In accordance with the Plan, all drought stages have been terminated for the remainder of the reservoirs in the System. If drought conditions re-emerge later this year, we will coordinate with you as necessary under the Plan.

The Plan is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Regional Customer Relations Business Manager for the Central Basin, at (254) 761-3165.

Sincerely,

DAVID COLLINSWORTH
General Manager/CEO

DC:ch