



July 15, 2025

Mr. Frank DeStefano
Partner
3-D Farms
15516 DeStefano Lane
Hearne, Texas 77859

Re: Termination of the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow

Dear Mr. DeStefano:

Your entity was notified by letter, dated April 3, 2025, of the Stage 1 - Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow when the Palmer Hydrologic Drought Index (PHDI) for the area, published by the National Oceanic and Atmospheric Administration, dropped below the -2.4 trigger level. With water supply storage in both Lakes Georgetown and Stillhouse Hollow now full, we do not anticipate drought conditions returning for an extended period.

As such, the BRA is terminating the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow. Currently, no drought declarations are in effect within the BRA water supply system. If drought conditions re-emerge later this year, BRA will coordinate with you as necessary in accordance with the DCP.

The DCP is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Customer Relations Business Manager, at (254) 761-3165.

Sincerely,

DAVID COLLINSWORTH
General Manager/CEO

DC:ch



July 15, 2025

Mr. Aaron Martinka
General Partner
AKA Farms
608 FM 2268
Holland, Texas 76534

Re: Termination of the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow

Dear Mr. Martinka:

Your entity was notified by letter, dated April 3, 2025, of the Stage 1 - Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow when the Palmer Hydrologic Drought Index (PHDI) for the area, published by the National Oceanic and Atmospheric Administration, dropped below the -2.4 trigger level. With water supply storage in both Lakes Georgetown and Stillhouse Hollow now full, we do not anticipate drought conditions returning for an extended period.

As such, the BRA is terminating the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow. Currently, no drought declarations are in effect within the BRA water supply system. If drought conditions re-emerge later this year, BRA will coordinate with you as necessary in accordance with the DCP.

The DCP is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Customer Relations Business Manager, at (254) 761-3165.

Sincerely,

DAVID COLLINSWORTH
General Manager/CEO

DC:ch



July 15, 2025

Ms. Irene Gavranovic-Sipes
President
All Seasons Turf Grass
32601 FM 529
Brookshire, Texas 77423

Re: Termination of the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow

Dear Ms. Gavranovic-Sipes:

Your entity was notified by letter, dated April 3, 2025, of the Stage 1 - Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow when the Palmer Hydrologic Drought Index (PHDI) for the area, published by the National Oceanic and Atmospheric Administration, dropped below the -2.4 trigger level. With water supply storage in both Lakes Georgetown and Stillhouse Hollow now full, we do not anticipate drought conditions returning for an extended period.

As such, the BRA is terminating the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow. Currently, no drought declarations are in effect within the BRA water supply system. If drought conditions re-emerge later this year, BRA will coordinate with you as necessary in accordance with the DCP.

The DCP is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Customer Relations Business Manager, at (254) 761-3165.

Sincerely,

DAVID COLLINSWORTH
General Manager/CEO

DC:ch



July 15, 2025

Mr. Andrew Bayley
VP Raw Materials Procurement N
BASF Corporation
602 Copper Road
Freeport, Texas 77541

Re: Termination of the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow

Dear Mr. Bayley:

Your entity was notified by letter, dated April 3, 2025, of the Stage 1 - Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow when the Palmer Hydrologic Drought Index (PHDI) for the area, published by the National Oceanic and Atmospheric Administration, dropped below the -2.4 trigger level. With water supply storage in both Lakes Georgetown and Stillhouse Hollow now full, we do not anticipate drought conditions returning for an extended period.

As such, the BRA is terminating the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow. Currently, no drought declarations are in effect within the BRA water supply system. If drought conditions re-emerge later this year, BRA will coordinate with you as necessary in accordance with the DCP.

The DCP is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Customer Relations Business Manager, at (254) 761-3165.

Sincerely,

DAVID COLLINSWORTH
General Manager/CEO

DC:ch

July 15, 2025

Mr. Ricky Garrett
General Manager
Bell County WCID #1
201 S. 38th Street
Killeen, Texas 76543

Re: Termination of the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow

Dear Mr. Garrett:

Your entity was notified by letter, dated April 3, 2025, of the Stage 1 - Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow when the Palmer Hydrologic Drought Index (PHDI) for the area, published by the National Oceanic and Atmospheric Administration, dropped below the -2.4 trigger level. With water supply storage in both Lakes Georgetown and Stillhouse Hollow now full, we do not anticipate drought conditions returning for an extended period.

As such, the BRA is terminating the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow. Currently, no drought declarations are in effect within the BRA water supply system. If drought conditions re-emerge later this year, BRA will coordinate with you as necessary in accordance with the DCP.

The DCP is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Customer Relations Business Manager, at (254) 761-3165.

Sincerely,



DAVID COLLINSWORTH
General Manager/CEO

DC:ch



July 15, 2025

Mr. Craig Lewis
Operator
Bill Curry dba Curry Farms
1880 Curry Loop
Belton, Texas 76513

Re: Termination of the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow

Dear Mr. Lewis:

Your entity was notified by letter, dated April 3, 2025, of the Stage 1 - Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow when the Palmer Hydrologic Drought Index (PHDI) for the area, published by the National Oceanic and Atmospheric Administration, dropped below the -2.4 trigger level. With water supply storage in both Lakes Georgetown and Stillhouse Hollow now full, we do not anticipate drought conditions returning for an extended period.

As such, the BRA is terminating the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow. Currently, no drought declarations are in effect within the BRA water supply system. If drought conditions re-emerge later this year, BRA will coordinate with you as necessary in accordance with the DCP.

The DCP is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Customer Relations Business Manager, at (254) 761-3165.

Sincerely,

DAVID COLLINSWORTH
General Manager/CEO

DC:ch

July 15, 2025

Mr. Ray Brooks
Sr. Vice President Refining
Blanchard Refining Company, LLC
Accounts Payable Department - Attn: CS5050
P.O. Box 599500
San Antonio, Texas 78259-9701

Re: Termination of the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow

Dear Mr. Brooks:

Your entity was notified by letter, dated April 3, 2025, of the Stage 1 - Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow when the Palmer Hydrologic Drought Index (PHDI) for the area, published by the National Oceanic and Atmospheric Administration, dropped below the -2.4 trigger level. With water supply storage in both Lakes Georgetown and Stillhouse Hollow now full, we do not anticipate drought conditions returning for an extended period.

As such, the BRA is terminating the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow. Currently, no drought declarations are in effect within the BRA water supply system. If drought conditions re-emerge later this year, BRA will coordinate with you as necessary in accordance with the DCP.

The DCP is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Customer Relations Business Manager, at (254) 761-3165.

Sincerely,



DAVID COLLINSWORTH
General Manager/CEO

DC:ch



July 15, 2025

Mr. Scott Spinella
President
Bluebonnet Materials, LLC
P.O. Box 1367
Montgomery, Texas 77356

Re: Termination of the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow

Dear Mr. Spinella:

Your entity was notified by letter, dated April 3, 2025, of the Stage 1 - Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow when the Palmer Hydrologic Drought Index (PHDI) for the area, published by the National Oceanic and Atmospheric Administration, dropped below the -2.4 trigger level. With water supply storage in both Lakes Georgetown and Stillhouse Hollow now full, we do not anticipate drought conditions returning for an extended period.

As such, the BRA is terminating the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow. Currently, no drought declarations are in effect within the BRA water supply system. If drought conditions re-emerge later this year, BRA will coordinate with you as necessary in accordance with the DCP.

The DCP is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Customer Relations Business Manager, at (254) 761-3165.

Sincerely,

DAVID COLLINSWORTH
General Manager/CEO

DC:ch



July 15, 2025

Mr. Jim Lilley
General Manager
Bluebonnet Water Supply Corporation
6100 Water Supply Road
Temple, Texas 76502

Re: Termination of the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow

Dear Mr. Lilley:

Your entity was notified by letter, dated April 3, 2025, of the Stage 1 - Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow when the Palmer Hydrologic Drought Index (PHDI) for the area, published by the National Oceanic and Atmospheric Administration, dropped below the -2.4 trigger level. With water supply storage in both Lakes Georgetown and Stillhouse Hollow now full, we do not anticipate drought conditions returning for an extended period.

As such, the BRA is terminating the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow. Currently, no drought declarations are in effect within the BRA water supply system. If drought conditions re-emerge later this year, BRA will coordinate with you as necessary in accordance with the DCP.

The DCP is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Customer Relations Business Manager, at (254) 761-3165.

Sincerely,

DAVID COLLINSWORTH
General Manager/CEO

DC:ch



July 15, 2025

Mr. Shean Dalton
General Manager
Brushy Creek Municipal Utility District
16318 Great Oaks Drive
Round Rock, Texas 78681

Re: Termination of the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow

Dear Mr. Dalton:

Your entity was notified by letter, dated April 3, 2025, of the Stage 1 - Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow when the Palmer Hydrologic Drought Index (PHDI) for the area, published by the National Oceanic and Atmospheric Administration, dropped below the -2.4 trigger level. With water supply storage in both Lakes Georgetown and Stillhouse Hollow now full, we do not anticipate drought conditions returning for an extended period.

As such, the BRA is terminating the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow. Currently, no drought declarations are in effect within the BRA water supply system. If drought conditions re-emerge later this year, BRA will coordinate with you as necessary in accordance with the DCP.

The DCP is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Customer Relations Business Manager, at (254) 761-3165.

Sincerely,

DAVID COLLINSWORTH
General Manager/CEO

DC:ch



July 15, 2025

Mr. Lee Kelley
General Manager
Central Texas Water Supply Corporation
P.O. Box 2393
Harker Heights, Texas 76548

Re: Termination of the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow

Dear Mr. Kelley:

Your entity was notified by letter, dated April 3, 2025, of the Stage 1 - Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow when the Palmer Hydrologic Drought Index (PHDI) for the area, published by the National Oceanic and Atmospheric Administration, dropped below the -2.4 trigger level. With water supply storage in both Lakes Georgetown and Stillhouse Hollow now full, we do not anticipate drought conditions returning for an extended period.

As such, the BRA is terminating the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow. Currently, no drought declarations are in effect within the BRA water supply system. If drought conditions re-emerge later this year, BRA will coordinate with you as necessary in accordance with the DCP.

The DCP is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Customer Relations Business Manager, at (254) 761-3165.

Sincerely,

DAVID COLLINSWORTH
General Manager/CEO

DC:ch



July 15, 2025

Mr. David Morgan
City Manager
City of Georgetown
Attn: Finance Department
P.O. Box 409
Georgetown, Texas 78627-0409

Re: Termination of the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow

Dear Mr. Morgan:

Your entity was notified by letter, dated April 3, 2025, of the Stage 1 - Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow when the Palmer Hydrologic Drought Index (PHDI) for the area, published by the National Oceanic and Atmospheric Administration, dropped below the -2.4 trigger level. With water supply storage in both Lakes Georgetown and Stillhouse Hollow now full, we do not anticipate drought conditions returning for an extended period.

As such, the BRA is terminating the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow. Currently, no drought declarations are in effect within the BRA water supply system. If drought conditions re-emerge later this year, BRA will coordinate with you as necessary in accordance with the DCP.

The DCP is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Customer Relations Business Manager, at (254) 761-3165.

Sincerely,

DAVID COLLINSWORTH
General Manager/CEO

DC:ch



July 15, 2025

Mr. David Mitchell
City Manager
City of Harker Heights
305 Miller's Crossing
Harker Heights, Texas 76548

Re: Termination of the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow

Dear Mr. Mitchell:

Your entity was notified by letter, dated April 3, 2025, of the Stage 1 - Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow when the Palmer Hydrologic Drought Index (PHDI) for the area, published by the National Oceanic and Atmospheric Administration, dropped below the -2.4 trigger level. With water supply storage in both Lakes Georgetown and Stillhouse Hollow now full, we do not anticipate drought conditions returning for an extended period.

As such, the BRA is terminating the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow. Currently, no drought declarations are in effect within the BRA water supply system. If drought conditions re-emerge later this year, BRA will coordinate with you as necessary in accordance with the DCP.

The DCP is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Customer Relations Business Manager, at (254) 761-3165.

Sincerely,

DAVID COLLINSWORTH
General Manager/CEO

DC:ch

July 15, 2025

Ms. Erin Corbell
City Manager
City of Lampasas
312 E. Third St.
Lampasas, Texas 76550

Re: Termination of the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow

Dear Ms. Corbell:

Your entity was notified by letter, dated April 3, 2025, of the Stage 1 - Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow when the Palmer Hydrologic Drought Index (PHDI) for the area, published by the National Oceanic and Atmospheric Administration, dropped below the -2.4 trigger level. With water supply storage in both Lakes Georgetown and Stillhouse Hollow now full, we do not anticipate drought conditions returning for an extended period.

As such, the BRA is terminating the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow. Currently, no drought declarations are in effect within the BRA water supply system. If drought conditions re-emerge later this year, BRA will coordinate with you as necessary in accordance with the DCP.

The DCP is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Customer Relations Business Manager, at (254) 761-3165.

Sincerely,



DAVID COLLINSWORTH
General Manager/CEO

DC:ch

July 15, 2025

Mr. Dan Johnson
City Manager
City of Manvel
20031 Highway 6
Manvel, Texas 77578

Re: Termination of the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow

Dear Mr. Johnson:

Your entity was notified by letter, dated April 3, 2025, of the Stage 1 - Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow when the Palmer Hydrologic Drought Index (PHDI) for the area, published by the National Oceanic and Atmospheric Administration, dropped below the -2.4 trigger level. With water supply storage in both Lakes Georgetown and Stillhouse Hollow now full, we do not anticipate drought conditions returning for an extended period.

As such, the BRA is terminating the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow. Currently, no drought declarations are in effect within the BRA water supply system. If drought conditions re-emerge later this year, BRA will coordinate with you as necessary in accordance with the DCP.

The DCP is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Customer Relations Business Manager, at (254) 761-3165.

Sincerely,



DAVID COLLINSWORTH
General Manager/CEO

DC:ch

July 15, 2025

The Honorable Rebecca K. Haas
Mayor
City of Richmond
402 Morton Street
Richmond, Texas 77469

Re: Termination of the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow

Dear Mayor Haas:

Your entity was notified by letter, dated April 3, 2025, of the Stage 1 - Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow when the Palmer Hydrologic Drought Index (PHDI) for the area, published by the National Oceanic and Atmospheric Administration, dropped below the -2.4 trigger level. With water supply storage in both Lakes Georgetown and Stillhouse Hollow now full, we do not anticipate drought conditions returning for an extended period.

As such, the BRA is terminating the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow. Currently, no drought declarations are in effect within the BRA water supply system. If drought conditions re-emerge later this year, BRA will coordinate with you as necessary in accordance with the DCP.

The DCP is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Customer Relations Business Manager, at (254) 761-3165.

Sincerely,



DAVID COLLINSWORTH
General Manager/CEO

DC:ch



July 15, 2025

The Honorable William Benton
Mayor
City of Rosenberg
P.O. Box 32
Rosenberg, Texas 77471-0032

Re: Termination of the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow

Dear Mayor Benton:

Your entity was notified by letter, dated April 3, 2025, of the Stage 1 - Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow when the Palmer Hydrologic Drought Index (PHDI) for the area, published by the National Oceanic and Atmospheric Administration, dropped below the -2.4 trigger level. With water supply storage in both Lakes Georgetown and Stillhouse Hollow now full, we do not anticipate drought conditions returning for an extended period.

As such, the BRA is terminating the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow. Currently, no drought declarations are in effect within the BRA water supply system. If drought conditions re-emerge later this year, BRA will coordinate with you as necessary in accordance with the DCP.

The DCP is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Customer Relations Business Manager, at (254) 761-3165.

Sincerely,

DAVID COLLINSWORTH
General Manager/CEO

DC:ch



July 15, 2025

Mr. Brooks Bennett
City Manager
City of Round Rock
Attn: Accounts Payable
221 East Main Street
Round Rock, Texas 78664

Re: Termination of the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow

Dear Mr. Bennett:

Your entity was notified by letter, dated April 3, 2025, of the Stage 1 - Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow when the Palmer Hydrologic Drought Index (PHDI) for the area, published by the National Oceanic and Atmospheric Administration, dropped below the -2.4 trigger level. With water supply storage in both Lakes Georgetown and Stillhouse Hollow now full, we do not anticipate drought conditions returning for an extended period.

As such, the BRA is terminating the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow. Currently, no drought declarations are in effect within the BRA water supply system. If drought conditions re-emerge later this year, BRA will coordinate with you as necessary in accordance with the DCP.

The DCP is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Customer Relations Business Manager, at (254) 761-3165.

Sincerely,

DAVID COLLINSWORTH
General Manager/CEO

DC:ch

July 15, 2025

Mr. Mike Goodrum
City Manager
City of Sugar Land
Accounts Payable - PO #102015
P.O. Box 110
Sugar Land, Texas 77487-0110

Re: Termination of the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow

Dear Mr. Goodrum:

Your entity was notified by letter, dated April 3, 2025, of the Stage 1 - Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow when the Palmer Hydrologic Drought Index (PHDI) for the area, published by the National Oceanic and Atmospheric Administration, dropped below the -2.4 trigger level. With water supply storage in both Lakes Georgetown and Stillhouse Hollow now full, we do not anticipate drought conditions returning for an extended period.

As such, the BRA is terminating the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow. Currently, no drought declarations are in effect within the BRA water supply system. If drought conditions re-emerge later this year, BRA will coordinate with you as necessary in accordance with the DCP.

The DCP is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Customer Relations Business Manager, at (254) 761-3165.

Sincerely,



DAVID COLLINSWORTH
General Manager/CEO

DC:ch



July 15, 2025

Mr. Mark Gerstenberg
Bluebonnet Ridge, LLC
c/o Paul Gerstenberg
2927 Nall Street
Port Neches, Texas 77651

Re: Termination of the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow

Dear Mr. Gerstenberg:

Your entity was notified by letter, dated April 3, 2025, of the Stage 1 - Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow when the Palmer Hydrologic Drought Index (PHDI) for the area, published by the National Oceanic and Atmospheric Administration, dropped below the -2.4 trigger level. With water supply storage in both Lakes Georgetown and Stillhouse Hollow now full, we do not anticipate drought conditions returning for an extended period.

As such, the BRA is terminating the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow. Currently, no drought declarations are in effect within the BRA water supply system. If drought conditions re-emerge later this year, BRA will coordinate with you as necessary in accordance with the DCP.

The DCP is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Customer Relations Business Manager, at (254) 761-3165.

Sincerely,

DAVID COLLINSWORTH
General Manager/CEO

DC:ch



July 15, 2025

Ms. Jessica Lowery
Production Manager
Creekside Nursery, LLC
18729 FM 1887 Road
Hempstead, Texas 77445

Re: Termination of the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow

Dear Ms. Lowery:

Your entity was notified by letter, dated April 3, 2025, of the Stage 1 - Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow when the Palmer Hydrologic Drought Index (PHDI) for the area, published by the National Oceanic and Atmospheric Administration, dropped below the -2.4 trigger level. With water supply storage in both Lakes Georgetown and Stillhouse Hollow now full, we do not anticipate drought conditions returning for an extended period.

As such, the BRA is terminating the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow. Currently, no drought declarations are in effect within the BRA water supply system. If drought conditions re-emerge later this year, BRA will coordinate with you as necessary in accordance with the DCP.

The DCP is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Customer Relations Business Manager, at (254) 761-3165.

Sincerely,

DAVID COLLINSWORTH
General Manager/CEO

DC:ch



July 15, 2025

Mr. Derek Rester
Director of Environmental Operations
Dow Chemical Company
2301 N. Brazosport Blvd., B3501
Freeport, Texas 77541-3257

Re: Termination of the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow

Dear Mr. Rester:

Your entity was notified by letter, dated April 3, 2025, of the Stage 1 - Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow when the Palmer Hydrologic Drought Index (PHDI) for the area, published by the National Oceanic and Atmospheric Administration, dropped below the -2.4 trigger level. With water supply storage in both Lakes Georgetown and Stillhouse Hollow now full, we do not anticipate drought conditions returning for an extended period.

As such, the BRA is terminating the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow. Currently, no drought declarations are in effect within the BRA water supply system. If drought conditions re-emerge later this year, BRA will coordinate with you as necessary in accordance with the DCP.

The DCP is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Customer Relations Business Manager, at (254) 761-3165.

Sincerely,

DAVID COLLINSWORTH
General Manager/CEO

DC:ch



July 15, 2025

Mr. Jason Garrard
Operations Leader
Dow Chemical Company
2301 N. Brazosport Blvd., B309
Freeport, Texas 77541-3257

Re: Termination of the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow

Dear Mr. Garrard:

Your entity was notified by letter, dated April 3, 2025, of the Stage 1 - Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow when the Palmer Hydrologic Drought Index (PHDI) for the area, published by the National Oceanic and Atmospheric Administration, dropped below the -2.4 trigger level. With water supply storage in both Lakes Georgetown and Stillhouse Hollow now full, we do not anticipate drought conditions returning for an extended period.

As such, the BRA is terminating the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow. Currently, no drought declarations are in effect within the BRA water supply system. If drought conditions re-emerge later this year, BRA will coordinate with you as necessary in accordance with the DCP.

The DCP is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Customer Relations Business Manager, at (254) 761-3165.

Sincerely,

DAVID COLLINSWORTH
General Manager/CEO

DC:ch



July 15, 2025

Mr. Brandon Wade
General Manager
Gulf Coast Water Authority
Accounts Payable
4243 Emmett F. Lowry Expressway
Texas City, Texas 77591

Re: Termination of the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow

Dear Mr. Wade:

Your entity was notified by letter, dated April 3, 2025, of the Stage 1 - Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow when the Palmer Hydrologic Drought Index (PHDI) for the area, published by the National Oceanic and Atmospheric Administration, dropped below the -2.4 trigger level. With water supply storage in both Lakes Georgetown and Stillhouse Hollow now full, we do not anticipate drought conditions returning for an extended period.

As such, the BRA is terminating the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow. Currently, no drought declarations are in effect within the BRA water supply system. If drought conditions re-emerge later this year, BRA will coordinate with you as necessary in accordance with the DCP.

The DCP is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Customer Relations Business Manager, at (254) 761-3165.

Sincerely,

DAVID COLLINSWORTH
General Manager/CEO

DC:ch



July 15, 2025

Mr. Denny Springer
Board President
High Gabriel Water Supply Corporation
P.O. Box 2799
Cedar Park, Texas 78630

Re: Termination of the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow

Dear Mr. Springer:

Your entity was notified by letter, dated April 3, 2025, of the Stage 1 - Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow when the Palmer Hydrologic Drought Index (PHDI) for the area, published by the National Oceanic and Atmospheric Administration, dropped below the -2.4 trigger level. With water supply storage in both Lakes Georgetown and Stillhouse Hollow now full, we do not anticipate drought conditions returning for an extended period.

As such, the BRA is terminating the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow. Currently, no drought declarations are in effect within the BRA water supply system. If drought conditions re-emerge later this year, BRA will coordinate with you as necessary in accordance with the DCP.

The DCP is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Customer Relations Business Manager, at (254) 761-3165.

Sincerely,

DAVID COLLINSWORTH
General Manager/CEO

DC:ch



July 15, 2025

Mr. William Gavranovic, Jr.
President
Horizon Turf Grass, Inc.
5713 CR 156
Wharton, Texas 77488

Re: Termination of the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow

Dear Mr. Gavranovic:

Your entity was notified by letter, dated April 3, 2025, of the Stage 1 - Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow when the Palmer Hydrologic Drought Index (PHDI) for the area, published by the National Oceanic and Atmospheric Administration, dropped below the -2.4 trigger level. With water supply storage in both Lakes Georgetown and Stillhouse Hollow now full, we do not anticipate drought conditions returning for an extended period.

As such, the BRA is terminating the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow. Currently, no drought declarations are in effect within the BRA water supply system. If drought conditions re-emerge later this year, BRA will coordinate with you as necessary in accordance with the DCP.

The DCP is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Customer Relations Business Manager, at (254) 761-3165.

Sincerely,

DAVID COLLINSWORTH
General Manager/CEO

DC:ch

July 15, 2025

Mr. Clarence Franklin
HPCP Investments, LLC
13939 Northwest Freeway, Suite 100
Houston, Texas 77040

Re: Termination of the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow

Dear Mr. Franklin:

Your entity was notified by letter, dated April 3, 2025, of the Stage 1 - Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow when the Palmer Hydrologic Drought Index (PHDI) for the area, published by the National Oceanic and Atmospheric Administration, dropped below the -2.4 trigger level. With water supply storage in both Lakes Georgetown and Stillhouse Hollow now full, we do not anticipate drought conditions returning for an extended period.

As such, the BRA is terminating the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow. Currently, no drought declarations are in effect within the BRA water supply system. If drought conditions re-emerge later this year, BRA will coordinate with you as necessary in accordance with the DCP.

The DCP is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Customer Relations Business Manager, at (254) 761-3165.

Sincerely,



DAVID COLLINSWORTH
General Manager/CEO

DC:ch



July 15, 2025

Mr. Joe Simmons
General Manager
Jarrell-Schwertner Water Supply Corporation
P.O. Box 40
Jarrell, Texas 76537

Re: Termination of the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow

Dear Mr. Simmons:

Your entity was notified by letter, dated April 3, 2025, of the Stage 1 - Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow when the Palmer Hydrologic Drought Index (PHDI) for the area, published by the National Oceanic and Atmospheric Administration, dropped below the -2.4 trigger level. With water supply storage in both Lakes Georgetown and Stillhouse Hollow now full, we do not anticipate drought conditions returning for an extended period.

As such, the BRA is terminating the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow. Currently, no drought declarations are in effect within the BRA water supply system. If drought conditions re-emerge later this year, BRA will coordinate with you as necessary in accordance with the DCP.

The DCP is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Customer Relations Business Manager, at (254) 761-3165.

Sincerely,

DAVID COLLINSWORTH
General Manager/CEO

DC:ch



July 15, 2025

Mr. Craig Wheeler
Owner
Kacir Wheeler, LLC
4325 Stanford Avenue
Dallas, Texas 75225

Re: Termination of the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow

Dear Mr. Wheeler:

Your entity was notified by letter, dated April 3, 2025, of the Stage 1 - Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow when the Palmer Hydrologic Drought Index (PHDI) for the area, published by the National Oceanic and Atmospheric Administration, dropped below the -2.4 trigger level. With water supply storage in both Lakes Georgetown and Stillhouse Hollow now full, we do not anticipate drought conditions returning for an extended period.

As such, the BRA is terminating the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow. Currently, no drought declarations are in effect within the BRA water supply system. If drought conditions re-emerge later this year, BRA will coordinate with you as necessary in accordance with the DCP.

The DCP is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Customer Relations Business Manager, at (254) 761-3165.

Sincerely,

DAVID COLLINSWORTH
General Manager/CEO

DC:ch



July 15, 2025

Mr. Bruce Sorenson
General Manager
Kempner Water Supply Corporation
P.O. Box 103
Kempner, Texas 76539

Re: Termination of the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow

Dear Mr. Sorenson:

Your entity was notified by letter, dated April 3, 2025, of the Stage 1 - Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow when the Palmer Hydrologic Drought Index (PHDI) for the area, published by the National Oceanic and Atmospheric Administration, dropped below the -2.4 trigger level. With water supply storage in both Lakes Georgetown and Stillhouse Hollow now full, we do not anticipate drought conditions returning for an extended period.

As such, the BRA is terminating the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow. Currently, no drought declarations are in effect within the BRA water supply system. If drought conditions re-emerge later this year, BRA will coordinate with you as necessary in accordance with the DCP.

The DCP is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Customer Relations Business Manager, at (254) 761-3165.

Sincerely,

DAVID COLLINSWORTH
General Manager/CEO

DC:ch

July 15, 2025

Mr. Kevin Joyce
King Ranch Turfgrass, LP
Three Riverway, Suite 1500
Houston, Texas 77056

Re: Termination of the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow

Dear Mr. Joyce:

Your entity was notified by letter, dated April 3, 2025, of the Stage 1 - Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow when the Palmer Hydrologic Drought Index (PHDI) for the area, published by the National Oceanic and Atmospheric Administration, dropped below the -2.4 trigger level. With water supply storage in both Lakes Georgetown and Stillhouse Hollow now full, we do not anticipate drought conditions returning for an extended period.

As such, the BRA is terminating the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow. Currently, no drought declarations are in effect within the BRA water supply system. If drought conditions re-emerge later this year, BRA will coordinate with you as necessary in accordance with the DCP.

The DCP is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Customer Relations Business Manager, at (254) 761-3165.

Sincerely,



DAVID COLLINSWORTH
General Manager/CEO

DC:ch

July 15, 2025

Mr. Michael Rhyne
Vice President
King Ranch Turfgrass, LP
106 N. Dennis Street
Wharton, Texas 77488

Re: Termination of the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow

Dear Mr. Rhyne:

Your entity was notified by letter, dated April 3, 2025, of the Stage 1 - Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow when the Palmer Hydrologic Drought Index (PHDI) for the area, published by the National Oceanic and Atmospheric Administration, dropped below the -2.4 trigger level. With water supply storage in both Lakes Georgetown and Stillhouse Hollow now full, we do not anticipate drought conditions returning for an extended period.

As such, the BRA is terminating the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow. Currently, no drought declarations are in effect within the BRA water supply system. If drought conditions re-emerge later this year, BRA will coordinate with you as necessary in accordance with the DCP.

The DCP is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Customer Relations Business Manager, at (254) 761-3165.

Sincerely,



DAVID COLLINSWORTH
General Manager/CEO

DC:ch



July 15, 2025

Mr. Shawn Dollery
Lead Field Landman
Magnolia Oil & Gas Operating, LLC
1055 CR 237
Giddings, Texas 78942

Re: Termination of the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow

Dear Mr. Dollery:

Your entity was notified by letter, dated April 3, 2025, of the Stage 1 - Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow when the Palmer Hydrologic Drought Index (PHDI) for the area, published by the National Oceanic and Atmospheric Administration, dropped below the -2.4 trigger level. With water supply storage in both Lakes Georgetown and Stillhouse Hollow now full, we do not anticipate drought conditions returning for an extended period.

As such, the BRA is terminating the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow. Currently, no drought declarations are in effect within the BRA water supply system. If drought conditions re-emerge later this year, BRA will coordinate with you as necessary in accordance with the DCP.

The DCP is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Customer Relations Business Manager, at (254) 761-3165.

Sincerely,

DAVID COLLINSWORTH
General Manager/CEO

DC:ch



July 15, 2025

Mr. Ryan Mueller
Magnolia Oil & Gas Operating, LLC
1055 CR 237
Giddings, Texas 78942

Re: Termination of the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow

Dear Mr. Mueller:

Your entity was notified by letter, dated April 3, 2025, of the Stage 1 - Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow when the Palmer Hydrologic Drought Index (PHDI) for the area, published by the National Oceanic and Atmospheric Administration, dropped below the -2.4 trigger level. With water supply storage in both Lakes Georgetown and Stillhouse Hollow now full, we do not anticipate drought conditions returning for an extended period.

As such, the BRA is terminating the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow. Currently, no drought declarations are in effect within the BRA water supply system. If drought conditions re-emerge later this year, BRA will coordinate with you as necessary in accordance with the DCP.

The DCP is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Customer Relations Business Manager, at (254) 761-3165.

Sincerely,

DAVID COLLINSWORTH
General Manager/CEO

DC:ch



July 15, 2025

Mr. Carl Burch
Environmental Manager
NRG Texas Power, LLC
Attn: AP PPS Billing
P.O. Box 1080
New Roads, LA 70760

Re: Termination of the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow

Dear Mr. Burch:

Your entity was notified by letter, dated April 3, 2025, of the Stage 1 - Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow when the Palmer Hydrologic Drought Index (PHDI) for the area, published by the National Oceanic and Atmospheric Administration, dropped below the -2.4 trigger level. With water supply storage in both Lakes Georgetown and Stillhouse Hollow now full, we do not anticipate drought conditions returning for an extended period.

As such, the BRA is terminating the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow. Currently, no drought declarations are in effect within the BRA water supply system. If drought conditions re-emerge later this year, BRA will coordinate with you as necessary in accordance with the DCP.

The DCP is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Customer Relations Business Manager, at (254) 761-3165.

Sincerely,

DAVID COLLINSWORTH
General Manager/CEO

DC:ch

July 15, 2025

Mr. Ricky Preston
General Manager
Salado Water Supply Corporation
P.O. Box 128
Salado, Texas 76571

Re: Termination of the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow

Dear Mr. Preston:

Your entity was notified by letter, dated April 3, 2025, of the Stage 1 - Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow when the Palmer Hydrologic Drought Index (PHDI) for the area, published by the National Oceanic and Atmospheric Administration, dropped below the -2.4 trigger level. With water supply storage in both Lakes Georgetown and Stillhouse Hollow now full, we do not anticipate drought conditions returning for an extended period.

As such, the BRA is terminating the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow. Currently, no drought declarations are in effect within the BRA water supply system. If drought conditions re-emerge later this year, BRA will coordinate with you as necessary in accordance with the DCP.

The DCP is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Customer Relations Business Manager, at (254) 761-3165.

Sincerely,



DAVID COLLINSWORTH
General Manager/CEO

DC:ch

July 15, 2025

Mr. Alan Gardenhire
Vice President
SLR Property I, LP
P.O. Box 1491
Rockdale, Texas 76567

Re: Termination of the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow

Dear Mr. Gardenhire:

Your entity was notified by letter, dated April 3, 2025, of the Stage 1 - Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow when the Palmer Hydrologic Drought Index (PHDI) for the area, published by the National Oceanic and Atmospheric Administration, dropped below the -2.4 trigger level. With water supply storage in both Lakes Georgetown and Stillhouse Hollow now full, we do not anticipate drought conditions returning for an extended period.

As such, the BRA is terminating the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow. Currently, no drought declarations are in effect within the BRA water supply system. If drought conditions re-emerge later this year, BRA will coordinate with you as necessary in accordance with the DCP.

The DCP is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Customer Relations Business Manager, at (254) 761-3165.

Sincerely,



DAVID COLLINSWORTH
General Manager/CEO

DC:ch

July 15, 2025

Mr. Jody Williams
Ranch Manager
Strasburger Enterprises, Inc.
P.O. Box 6117
Temple, Texas 76503-6117

Re: Termination of the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow

Dear Mr. Williams:

Your entity was notified by letter, dated April 3, 2025, of the Stage 1 - Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow when the Palmer Hydrologic Drought Index (PHDI) for the area, published by the National Oceanic and Atmospheric Administration, dropped below the -2.4 trigger level. With water supply storage in both Lakes Georgetown and Stillhouse Hollow now full, we do not anticipate drought conditions returning for an extended period.

As such, the BRA is terminating the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow. Currently, no drought declarations are in effect within the BRA water supply system. If drought conditions re-emerge later this year, BRA will coordinate with you as necessary in accordance with the DCP.

The DCP is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Customer Relations Business Manager, at (254) 761-3165.

Sincerely,



DAVID COLLINSWORTH
General Manager/CEO

DC:ch



July 15, 2025

Mr. Eddie Saucedo
Environmental Manager, Southwest Division
Vulcan Construction Materials
P.O. Box 791550
San Antonio, Texas 78279

Re: Termination of the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow

Dear Mr. Saucedo:

Your entity was notified by letter, dated April 3, 2025, of the Stage 1 - Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow when the Palmer Hydrologic Drought Index (PHDI) for the area, published by the National Oceanic and Atmospheric Administration, dropped below the -2.4 trigger level. With water supply storage in both Lakes Georgetown and Stillhouse Hollow now full, we do not anticipate drought conditions returning for an extended period.

As such, the BRA is terminating the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow. Currently, no drought declarations are in effect within the BRA water supply system. If drought conditions re-emerge later this year, BRA will coordinate with you as necessary in accordance with the DCP.

The DCP is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Customer Relations Business Manager, at (254) 761-3165.

Sincerely,

DAVID COLLINSWORTH
General Manager/CEO

DC:ch

July 15, 2025

Mr. Daniel Quinn
Project Manager
Wildfire Energy, LLC
920 Memorial City Way, Suite 1400
Houston, Texas 77024

Re: Termination of the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow

Dear Mr. Quinn:

Your entity was notified by letter, dated April 3, 2025, of the Stage 1 - Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow when the Palmer Hydrologic Drought Index (PHDI) for the area, published by the National Oceanic and Atmospheric Administration, dropped below the -2.4 trigger level. With water supply storage in both Lakes Georgetown and Stillhouse Hollow now full, we do not anticipate drought conditions returning for an extended period.

As such, the BRA is terminating the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow. Currently, no drought declarations are in effect within the BRA water supply system. If drought conditions re-emerge later this year, BRA will coordinate with you as necessary in accordance with the DCP.

The DCP is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Customer Relations Business Manager, at (254) 761-3165.

Sincerely,



DAVID COLLINSWORTH
General Manager/CEO

DC:ch

July 15, 2025

Ms. Florence Mikeska
Owner
11073 Reed Cemetery Road
Rogers, Texas 76569

Re: Termination of the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow

Dear Ms. Mikeska:

Your entity was notified by letter, dated April 3, 2025, of the Stage 1 - Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow when the Palmer Hydrologic Drought Index (PHDI) for the area, published by the National Oceanic and Atmospheric Administration, dropped below the -2.4 trigger level. With water supply storage in both Lakes Georgetown and Stillhouse Hollow now full, we do not anticipate drought conditions returning for an extended period.

As such, the BRA is terminating the Stage 1 – Drought Watch Declaration for Lakes Georgetown and Stillhouse Hollow. Currently, no drought declarations are in effect within the BRA water supply system. If drought conditions re-emerge later this year, BRA will coordinate with you as necessary in accordance with the DCP.

The DCP is available on our website at <https://www.brazos.org> under About Us – Water Supply – Drought – Drought Contingency Plan. Current drought information is also located on the website at <http://www.brazos.org/About-Us/Water-Supply/Drought>.

If you have questions, please contact Amy Muttoni, Customer Relations Business Manager, at (254) 761-3165.

Sincerely,



DAVID COLLINSWORTH
General Manager/CEO

DC:ch